CamFi

How to use the CamFi Plus CamFi Remote Camera Controller

Contents

- **1** Chapter 1: Install CamFi Plus Client
- 2 Chapter 2: Wi-Fi Connection
- 5 Chapter 3: Using third party software

Chapter 1: Install CamFi Plus Client

- Download CamFi Plus Client from CamFi offical website.
- https://www.cam-fi.com/en/download.html



MAC version attention:

- Mac users are now upgraded to Mac OS 12(Monterey) to support the all-round Wireless tethering.
- MacOS 10.9.5 / 10.10 / 10.12 / 10.13 / 10.14 / 12.0 is supported.
- We recommend that you upgrade Big Sur system to Mac OS 12 as soon as possible.

Chapter 2: Wi-Fi Connection

- Connecting the CamFi Wi-Fi to the computer.
- Open the CamFi Plus Client.

Manual IP
Start
Exit

① The client can't connect to the CamFi? Page 3

Connection:Discon	nected	
0 0	CamFi Plus Client 1.1.17.33	
Connection:camfi	3-5G-f4cbc6	Manual IP
Third party tether	ing service:Service is running	Stop
Camera:Disconne	cted	
Auto start up		
Help Al	pout	Exit

Attention:

if display the "Service is running**", you should wait for minutes or restart the client.

• Conncetion the camera to the CamFi device with USB cable. And turn on the camera.

CamFi Plus Client 1.1.17.33	
Connection:camfi3-5G-f4cbc6	Manual IP
Third party tethering service:Service is running	Stop
Camera:ILCE-7M3	
Auto start up	
Help About	Exit

- Camera model will be displayed on the client.
- Do not exit the software while you are using the third party tethering.

① The client can't connect to the CamFi?

If the client can't connect to the CamFi.

Connection:Disconnected

The CamFi may have bridged to the other Wi-Fi. You can check the CamFi IP via the CamFi App.



Download CamFi App

• Connect your computer(mobile phone) to the CamFi bridge Wi-Fi.

- Open the CamFi App.
- You can check the CamFi IP.

On computer:



On mobile phone:



10:58		ul 🗢 🗩
Settings	camfi3-5G-f4cbc6	
Forget this Ca	mFi	>
IP		192.168.1.181

Or go to "settings" - "Connect to CamFi" - "info"



- Click the "Manual IP" on CamFi Plus Client.
- And input the CamFi IP.



Chapter 3: Using third party software

Attention:

- After opening the wireless tethering mode, you will be able to remotely control the camera using Capture One,Lightroom and original camera software. CamFi official software cannot be used after it is enabled.
- Except for the connection with the camera, other USB port cannot be used.
- If the SD card is plugged into the CamFi 3, you need to take out the SD card.
- Open the third party software, such as Capture One.
- Capture One will automatically connect to the camera, just as easily as using a USB cable.



• Wireless tethering with Capture One and FUJIFILM X-T3 camera for Windows

- Wireless tethering with Capture One and FUJIFILM X-T3 camera for Mac
- Wireless tethering with Lightroom and PENTAX camera
- Wireless tethering with Capture One and Sony camera
- How to upgrade Camfi to CamFi Plus?